

Cam buckle Tie Down




Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC CAMBUCKLE TIE DOWN	XLTD2520 1-1	6ft(1.8m)	1"(25mm)	400lbs	1200lbs	S
2PC CAMBUCKLE TIE DOWN	XLTD2520 1-2	6ft(1.8m)	1"(25mm)	400lbs	1200lbs	S
4PC CAMBUCKLE TIE DOWN	XLTD2520 1-4	6ft(1.8m)	1"(25mm)	400lbs	1200lbs	S



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC CAMBUCKLE TIE DOWN W/FLAT RUBBER GRIP	XLTD2520 1-1	10ft(3m)	1"(25mm)	400lbs	1200lbs	S
2PC CAMBUCKLE TIE DOWN W/FLAT RUBBER GRIP	XLTD2520 1-2	8ft(2.4m)	1"(25mm)	400lbs	1200lbs	S
4PC CAMBUCKLE TIE DOWN W/FLAT RUBBER GRIP	XLTD2520 1-4	12ft(3.6 m)	1"(25mm)	400lbs	1200lbs	S

The original!Strong!Durable!Long lasting!
Fast and easy to use...
Just press,pull tight and you'll be on your way




Cam Buckle Straps

Picture	Description	Item No.	Length	Width	Load limit	Break strength	Hook
	150kgs CAMBUCKLE TIE DOWN	XLTD20201	Any length	3/4" (20mm)	75kg	150kg	NO
	250kgs CAMBUCKLE TIE DOWN	XLTD25206	Any length	1" (25mm)	125kg	250kg	NO
	250kgs CAMBUCKLE TIE DOWN WITH PAD PROTECTION	XLTD25206-A	Any length	1"(25mm)	125kg	250kg	NO


Cam Buckle Straps

Picture	Description	Item No.	Length	Width	Load limit	Break strength	Hook
	250kgs BLACK E-COATING CAMBUCKLE TIE DOWN	XLTD20206-B	Any length	1" (25mm)	125kg	150kg	NO
	250kgs BLACK E-COATING CAMBUCKLE TIE DOWN WITH PAD PROTECTION	XLTD25206-C	Any length	1" (25mm)	125kg	250kg	NO
	350kgs CAMBUCKLE TIE DOWN	XLTD25203	Any length	1"(25mm)	175kg	350kg	NO

Cam Buckle Straps

Picture	Description	Item No.	Length	Width	Load limit	Break strength	Hook
	350kgs CAMBUCKLE TIE DOWN	XLTD25202	Any length	1" (25mm)	175kg	350kg	NO
	450kgs CAMBUCKLE TIE DOWN	XLTD25208	Any length	1" (25mm)	225kg	450kg	NO
	450kgs 304 STAINLESS STEEL CAMBUCKLE TIE DOWN	XLTDS25208	Any length	1"(25m m)	175kg	450kg	NO


Cam Buckle Straps

Picture	Description	Item No.	Length	Width	Load limit	Break strength	Hook
	450kgs 304 STAINLESS STEEL CAMBUCKLE TIE DOWN	XLTDS25208 -A	Any length	1" (25mm)	175kg	450kg	NO
	450kgs CAMBUCKLE TIE DOWN	XLTD25201	Any length	1" (25mm)	275kg	550kg	NO
	450kgs 304 STAINLESS STEEL CAMBUCKLE TIE DOWN	XLTDS25201 -B	Any length	1.5"(38 mm)	450kg	900kg	NO

Cam Buckle Straps

Picture	Description	Item No.	Length	Width	Load limit	Break strength	Hook
	900kgs CAMBUCKLE TIE DOWN	XLTD25201	Any length	1.5" (38mm)	450kg	900kg	NO
	1200kgs CAM BUCKLE TIE DOWN	XLTD50201	Any length	2" (50MM)	600kg	1200kg	NO

- Light duty
- Quick release, quick lock
- Print any name or logo on the strap
- Durable webbing, high strength, low elongation



Cam Buckle Straps



Description	Item No.	Length	Width	Load limit	Break strength	Hook
900kgs CAMBUCKLE TIE DOWN	XLTD35201-2	any length	1.5" (38mm)	450kg	900kg	No



Description	Item No.	Length	Width	Load limit	Break strength	Hook
800kgs CAMBUCKLE TIE DOWN	XLTD35201B	any length	1.5" (38mm)	400kg	800kg	No

Cam Buckle Tie Down



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC CAMBUCKLE TIE DOWN	XLTD50202-1	any length	2"(50mm)	2500lbs	833lbs	S

Cam Buckle Straps



Description	Item No.	Length	Width	Load limit	Break strength	Hook
900kgs CAMBUCKLE TIE DOWN	XLTD35201-1	any length	1.5" (38mm)	450kg	900kg	No



Description	Item No.	Length	Width	Load limit	Break strength	Hook
500kgs CAMBUCKLE TIE DOWN	XLTD25211	any length	1.5" (38mm)	250kg	500kg	No

Cam Buckle Tie Down



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC CAMBUCKLE TIE DOWN	XLTD50202-1	any length	2"(50mm)	2500lbs	833lbs	S

1" Ratchet Tie Down with hooks



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC RATCHET TIE DOWN	XLTD25101-1	10ft(3m)	1"(25mm)	500lbs	1500lbs	S
2PC RATCHET TIE DOWN	XLTD25101-2	8ft(2.4m)	1"(25mm)	500lbs	1500lbs	S
4PC RATCHET TIE DOWN	XLTD25101-4	15ft(4.5m)	1"(25mm)	500lbs	1500lbs	S



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC RATCHET TIE DOWN	XLTD25102-1	10ft(3m)	1"(25mm)	500lbs	1500lbs	S
2PC RATCHET TIE DOWN	XLTD25102-2	8ft(2.4m)	1"(25mm)	500lbs	1500lbs	S
4PC RATCHET TIE DOWN	XLTD25102-4	15ft(4.5m)	1"(25mm)	500lbs	1500lbs	S



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC RATCHET TIE DOWN	XLTD25103-1	10ft(3m)	1"(25mm)	500lbs	1500lbs	S
2PC RATCHET TIE DOWN	XLTD25103-2	8ft(2.4m)	1"(25mm)	500lbs	1500lbs	S
4PC RATCHET TIE DOWN	XLTD25103-4	15ft(4.5m)	1"(25mm)	500lbs	1500lbs	S

1" Ratchet Tie Down with hooks



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC RATCHET TIE DOWN	XLTD25104-1	10ft(3m)	1"(25mm)	500lbs	1500lbs	S
2PC RATCHET TIE DOWN	XLTD25104-2	8ft(2.4m)	1"(25mm)	500lbs	1500lbs	S
4PC RATCHET TIE DOWN	XLTD25104-4	15ft(4.5m)	1"(25mm)	500lbs	1500lbs	S



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC RATCHET TIE DOWN	XLTD25106-1	10ft(3m)	1"(25mm)	500lbs	1500lbs	S
2PC RATCHET TIE DOWN	XLTD25106-2	8ft(2.4m)	1"(25mm)	500lbs	1500lbs	S
4PC RATCHET TIE DOWN	XLTD25106-4	15ft(4.5m)	1"(25mm)	500lbs	1500lbs	S



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC RATCHET TIE DOWN	XLTD25107-1	10ft(3m)	1"(25mm)	500lbs	1500lbs	S
2PC RATCHET TIE DOWN	XLTD25107-2	8ft(2.4m)	1"(25mm)	500lbs	1500lbs	S
4PC RATCHET TIE DOWN	XLTD25107-4	15ft(4.5m)	1"(25mm)	500lbs	1500lbs	S

1" Ratchet Tie Down with hooks



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC RATCHET TIE DOWN	XLTD25108-1	10ft(3m)	1"(25mm)	500lbs	1500lbs	S
2PC RATCHET TIE DOWN	XLTD25108-2	8ft(2.4m)	1"(25mm)	500lbs	1500lbs	S
4PC RATCHET TIE DOWN	XLTD25108-4	15ft(4.5m)	1"(25mm)	500lbs	1500lbs	S



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC RATCHET TIE DOWN	XLTD25109-1	16ft(4.8m)	1"(25mm)	666lbs	2000lbs	S
2PC RATCHET TIE DOWN	XLTD25109-2	16ft(4.8m)	1"(25mm)	666lbs	2000lbs	S
4PC RATCHET TIE DOWN	XLTD25109-4	15ft(4.5m)	1"(25mm)	666lbs	2000lbs	S



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC RATCHET TIE DOWN	XLTD25110-1	16ft(4.8m)	1"(25mm)	833lbs	2500lbs	S
2PC RATCHET TIE DOWN	XLTD25110-2	15ft(4.5m)	1"(25mm)	833lbs	2500lbs	S
4PC RATCHET TIE DOWN	XLTD25110-4	10ft(3m)	1"(25mm)	833lbs	2500lbs	S

1" Ratchet Tie Down with hooks



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC RATCHET TIE DOWN	XLTDN25201-1	10ft(3m)	1"(25mm)	400kgs	800kgs	J
2PC RATCHET TIE DOWN	XLTD25101-2	8ft(2.4m)	1"(25mm)	400kgs	800kgs	J
4PC RATCHET TIE DOWN	XLTD25101-4	15ft(4.5m)	1"(25mm)	400kgs	800kgs	J



Description	Item No.	Length	Width	Load limit	Break strength	Hook
304 STAINLESS STEEL RATCHET TIE DOWN	XLTD25101-2	Any Length	1"(25mm)	400kgs	800kgs	S



Description	Item No.	Length	Width	Load limit	Break strength	Hook
1PC RATCHET TIE DOWN	XLTD25103-1	10ft(3m)	1"(25mm)	500lbs	1500lbs	S
2PC RATCHET TIE DOWN	XLTD25103-2	8ft(2.4m)	1"(25mm)	500lbs	1500lbs	S
4PC RATCHET TIE DOWN	XLTD25103-4	15ft(4.5m)	1"(25mm)	500lbs	1500lbs	S

1-1/4" Ratchet Tie Down with hooks




Description	Item No.	Length	Width	Load limit	Break strength	Hook
2PC RATCHET TIE DOWN	XLTD30101-2	10ft(3m)	1-1/4"(30mm)	1000lbs	3300lbs	S
4PC RATCHET TIE DOWN	XLTD30101-4	10ft(3m)	1-1/4"(30mm)	1000lbs	3300lbs	S



Description	Item No.	Length	Width	Load limit	Break strength	Hook
2PC RATCHET TIE DOWN	XLTD30103-2	15ft(4.5m)	1-1/4"(30mm)	1000lbs	3300lbs	J
4PC RATCHET TIE DOWN	XLTD30103-4	16ft(4.8m)	1-1/4"(30mm)	1000lbs	3300lbs	J

Endless Ratchet Tie Down



Description	Item No.	Length	Width	Load limit	Break strength	Hook
RATCHET TIE DOWN	XLTDN25101	Any length	1" (25mm)	400kg	800kg	NO



Description	Item No.	Length	Width	Load limit	Break strength	Hook
RATCHET TIE DOWN	XLTD25102	Any length	1" (25mm)	400kg	800kg	NO



Description	Item No.	Length	Width	Load limit	Break strength	Hook
RATCHET TIE DOWN	XLTD25104	Any length	1" (25mm)	400kg	800kg	NO

Endless Ratchet Tie Down



Description	Item No.	Length	Width	Load limit	Break strength	Hook
RATCHET TIE DOWN	XLTD25101	Any length	1" (25mm)	400kg	800kg	NO



Description	Item No.	Length	Width	Load limit	Break strength	Hook
RATCHET TIE DOWN	XLTDN25106	Any length	1" (25mm)	400kg	800kg	NO



Description	Item No.	Length	Width	Load limit	Break strength	Hook
RATCHET TIE DOWN	XLTD25112	Any length	1" (25mm)	750kg	1500kg	NO
RATCHET TIE DOWN	XLTD25112	Any length	1" (25mm)	500kg	1000kg	NO

Endless Ratchet Tie Down



Description	Item No.	Length	Width	Load limit	Break strength	Hook
RATCHET TIE DOWN	XLTD38105	Any length	1.5" (38mm)	1000kg	2000kg	NO



Description	Item No.	Length	Width	Load limit	Break strength	Hook
RATCHET TIE DOWN	XLTD35101	Any length	1.5" (38mm)	1500kg	3000kg	NO



Description	Item No.	Length	Width	Load limit	Break strength	Hook
RATCHET TIE DOWN	XLTD50101	Any length	2" (50mm)	2500kg	5000kg	NO

1.5" Ratchet Tie Down with hooks



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
1.5" RATCHET TIE DOWN	XLTD35101	Rubber Grip handle	Double S hooks	Any length	1.5"(38mm/35mm)	1833lbs (833kg)	5500lbs (2500kgs)



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
1.5" RATCHET TIE DOWN	XLTD35102	Plastic handle	Double J hooks	Any length	1.5"(38mm/35mm)	1833lbs (833kg)	5500lbs (2500kgs)



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
1.5" RATCHET TIE DOWN	XLTD35103	Plastic handle	Double J hooks	Any length	1.5"(38mm/35mm)	1833lbs (833kg)	5500lbs (2500kgs)

1.5" Ratchet Tie Down with hooks



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
1.5" RATCHET TIE DOWN	XLTD35105	Zinc Plated steel handle	Double J hooks	Any length	1.5"(38mm/35mm)	1467lbs (666kg)	4400lbs (2000kgs)



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
1.5" RATCHET TIE DOWN	XLTD35107	T-type Grip handle	Double J hooks	Any length	1.5"(38mm/35mm)	1833lbs (833kg)	5500lbs (2500kgs)



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
1.5" RATCHET TIE DOWN	XLTD35108	Rubber Grip handle	Double J hooks	Any length	1.5"(38mm/35mm)	1833lbs (833kg)	5500lbs (2500kgs)

2" Ratchet Tie Down with hooks



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
2" RATCHET TIE DOWN	XLTD50101	Aluminum handle	Double J hooks	25ft 27ft 30ft	2"(50mm)	3333lbs	10000lbs



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
2" RATCHET TIE DOWN	XLTD50102	Plastic handle	Double J hooks	25ft 27ft 30ft	2"(50mm)	3333lbs	10000lbs



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
2" RATCHET TIE DOWN	XLTD50103	Rubber Grip handle	Double J hooks	25ft 27ft 30ft	2"(50mm)	3333lbs	10000lbs



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
2" RATCHET TIE DOWN	XLTD50105	Rubber Grip handle	Double J hooks	25ft 27ft 30ft	2"(50mm)	3333lbs	10000lbs

2" Ratchet Tie Down with hooks



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
2" RATCHET TIE DOWN	XLTD50101	Aluminum handle	Double J hooks	6m,8m, 9m,10m	2"(50mm)	2500kgs	5000kgs



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
2" RATCHET TIE DOWN	XLTD50102	Plastic handle	Double J hooks	6m,8m, 9m,10m	2"(50mm)	2500kgs	5000kgs



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
2" RATCHET TIE DOWN	XLTD50103	Rubber Grip handle	Double J hooks	6m,8m, 9m,10m	2"(50mm)	2500kgs	5000kgs



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
2" RATCHET TIE DOWN	XLTD50105	Rubber Grip handle	Double J hooks	6m,8m, 9m,10m	2"(50mm)	2500kgs	5000kgs

3" Ratchet Tie Down with hooks



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
3" RATCHET TIE DOWN	XLTD75101	Aluminum handle	Double J hooks	6m,8m, 9m,10m,20ft, 25ft,27ft,30ft	3"(75mm)	5000kgs	10000kgs
3" RATCHET TIE DOWN	XLTD75101	Aluminum handle	Double J hooks	6m,8m, 9m,10m,20ft, 25ft,27ft,30ft	3"(75mm)	5400lbs	16200lbs

4" Ratchet Tie Down with hooks



Description	Item No.	Ratchet	Hook	Length	Width	Load limit	Break strength
4" RATCHET TIE DOWN	XLTD100101	Aluminum handle	Double J hooks	6m,8m, 9m,10m,20ft, 25ft,27ft,30ft	4"(100mm)	5000kgs	10000kgs
4" RATCHET TIE DOWN	XLTD100101	Aluminum handle	Double J hooks	6m,8m, 9m,10m,20ft, 25ft,27ft,30ft	4"(100mm)	5400lbs	16200lbs

Tow Straps



Description	Item No.	Length	Width	Load limit	Break strength
2"X15FT TOW STRAP WITH END DROP FORGED HOOKS	XLTS0004	15ft (4.5m)	2"(50mm)	3333lbs	10000lbs
2"X20FT TOW STRAP WITH END DROP FORGED HOOKS	XLTS0005	20ft (6m)	2"(50mm)	3333lbs	10000lbs
2"X30FT TOW STRAP WITH END DROP FORGED HOOKS	XLTS0006	30ft (9.1m)	2"(50mm)	3333lbs	10000lbs
2"X15FT TOW STRAP WITH END DROP FORGED HOOKS	XLTS0304	15ft (4.5m)	2"(50mm)	2200lbs	6600lbs
2"X20FT TOW STRAP WITH END DROP FORGED HOOKS	XLTS0305	20ft (6m)	2"(50mm)	2200lbs	6600lbs
2"X30FT TOW STRAP WITH END DROP FORGED HOOKS	XLTS0306	30ft (9.1m)	2"(50mm)	2200lbs	6600lbs



Description	Item No.	Length	Width	Load limit	Break strength
2"X4.5M TOW STRAP WITH END DROP FORGED HOOKS	XLTS0504-45	4.5M	2"(50mm)	2500kgs	5000kgs
2"X5M TOW STRAP WITH END DROP FORGED HOOKS	XLTS0505-50	5M	2"(50mm)	2500kgs	5000kgs
2"X6M TOW STRAP WITH END DROP FORGED HOOKS	XLTS0506-60	6M	2"(50mm)	2500kgs	5000kgs

Tow Straps



Description	Item No.	Length	Width	Load limit	Break strength
2"X15FT TOW STRAP	XLTS0001	15ft (4.5m)	2"(50mm)	3333lbs	10000lbs
2"X20FT TOW STRAP	XLTS0002	20ft (6m)	2"(50mm)	3333lbs	10000lbs
2"X30FT TOW STRAP	XLTS0003	30ft (9.1m)	2"(50mm)	3333lbs	10000lbs
2"X15FT TOW STRAP	XLTS0301	15ft (4.5m)	2"(50mm)	2200lbs	6600lbs
2"X20FT TOW STRAP	XLTS0302	20ft (6m)	2"(50mm)	2200lbs	6600lbs
2"X30FT TOW STRAP	XLTS0303	30ft (9.1m)	2"(50mm)	2200lbs	6600lbs



Description	Item No.	Length	Width	Load limit	Break strength
2"X14FT TOW STRAP	XLTS0601	14ft (4.3m)	2"(50mm)	2200lbs	6600lbs
2"X14FT TOW STRAP	XLTS0602	14ft (4.3m)	2"(50mm)	3333lbs	10000lbs

Winch strap



Description	Item No.	Length	Width	Load limit	Break strength	Hook
4"WINCH STRAP with Flat Hook	XLWS304	30FT 40FT 50FT	4"(75mm)	5400lbs	16200lbs	Flat Hook

Axle Strap with D-Rings



Description	Item No.	Length	Width	Load limit	Break strength	Hook
Axle Strap	XLAS0024	24" (61cm)	2"(50mm)	3333lbs	10000lbs	D- Rings
Axle Strap	XLAS0036	36" (91cm)	2"(50mm)	3333lbs	10000lbs	D- Rings

Soft Loop



Description	Item No.	Length	Width	Load limit	Break strength	Hook
Soft Loop	XLSSL0012	12",18"	1"(25mm)	500lbs	1500lbs	NO

Adjustable Lifting Straps



Description	Item No.	Length	Width	Strap thickness	Weight Capacity	Hook
Adjustable Lifting Straps	XLMS0001	2.84m	76mm	1.45mm	700 lbs/Pair	NO

Adjustability: Up to 48" of adjustment according to dimensions of the object being lifted and the height of the persons using to level/balance object.

Tow Ropes

Picture	Description	Item No.	Length	Dia.	Max. Vehicle Weight	Hook	Color	Package
	Steel tow rope	XLTR0001	4M	6mm	3000lbs	Safety J	Blue	PVC bag
	Steel tow rope	XLTR0002	4M	8mm	4000lbs	Safety J	Blue	PVC bag
	Steel tow rope	XLTR0003	4M	10mm	5000lbs	Safety J	Blue	PVC bag

Picture	Description	Item No.	Length	Dia.	Max. Vehicle Weight	Hook	Color	Package
	Steel tow rope	XLTR0008	4M	6mm	3000lbs	D hook	Blue	PVC bag
	Steel tow rope	XLTR0009	4M	8mm	4000lbs	D hook	Blue	PVC bag

Picture	Description	Item No.	Length	Dia.	Max. Vehicle Weight	Hook	Color	Package
	Steel tow rope	XLTR0010	4M	18mm	6800lbs	Safety J	Blue	PVC bag

Bungee Cord

Commen Bungee Cord



Item No.	Length	Dia.
XLGS0101	12"	8MM
XLGS0103	18"	8MM
XLGS0105	24"	8MM
XLGS0107	30"	8MM
XLGS0109	36"	8MM
XLGS0111	42"	8MM
XLGS0113	48"	8MM
XLGS0115	54"	8MM
XLGS0117	60"	8MM
XLGS0119	68"	8MM
XLGS0121	72"	8MM
XLGS0123	78"	8MM

- 1.Heat treated steel core hooks
- 2.Spring coiled steel more stronger
- 3.Smooth plastic coating prevents scratches

Bungee Cord with reverse twin wire hook



Item No.	Length	Dia.
XLGS0201	12"	8MM
XLGS0203	18"	8MM
XLGS0205	24"	8MM
XLGS0207	30"	8MM
XLGS0209	36"	8MM
XLGS0211	42"	8MM
XLGS0213	48"	8MM
XLGS0215	54"	8MM
XLGS0217	60"	8MM
XLGS0219	68"	8MM
XLGS0221	72"	8MM
XLGS0223	78"	8MM

- 1.Heat treated steel twin hooks
- 2.Spring coiled steel more stronger
- 3.Smooth plastic coating prevents scratches

Bungee Cord

Bungee Cord with Rubberized Grip(single color)



- 1. Super strong steel core hooks
- 2. Single color Anti-slip rubberized grip
- 3. Smooth plastic coating prevents scratches

Item No.	Length	Dia.	Color
XLGS0303	18"	8MM	black
XLGS0305	24"	8MM	blue
XLGS0307	32"	8MM	red
XLGS0309	40"	8MM	yellow
XLGS0311	48"	8MM	green
XLGS0313	56"	8MM	purple

- 1. Up to 2 times stronger than standard bungee cord
- 2. Nylon outer sheath hook
- 3. Steel core inside for extra holding power
- 4. Premium grade cord
- 5. Color coded simplifies merchandising, more color available



Bungee Cord with 3X double color hook



- 1. Super strong steel core hooks
- 2. Double color Anti-slip rubberized grip
- 3. Smooth plastic coating prevents scratches

Item No.	Length	Dia.	Color
XLGS0503	18"	10MM	black
XLGS0505	24"	10MM	blue
XLGS0507	32"	10MM	red
XLGS0509	40"	10MM	yellow
XLGS0511	48"	10MM	green

- 1. Up to 3 times stronger than standard bungee cord
- 2. Rubberized grips for ultimate control and comfort
- 3. Nylon outer sheath hook
- 4. Steel core inside for extra holding power
- 5. Stronger than conventional hooks
- 6. Premium grade cord
- 7. Color coded cord simplifies merchandising, more color available

Flat Bungee Cord

4x Fat Bungee Cord



- 1. Super strong steel core hooks
- 2. Anti-slip rubberized grip
- 3. Smooth plastic coating prevents scratches
- 4. Heavy duty polypropylene braid with high grade rubber cord for optimum elasticity



Item No.	Length	Width	Color
XLGS0601	15"	19MM	blue
XLGS0603	20"	19MM	orange
XLGS0605	25"	19MM	red
XLGS0607	30"	19MM	white
XLGS0609	35"	19MM	yellow
XLGS0611	40"	19MM	purple
XLGS0313	45"	19MM	green

- 1. Up to 4 times stronger than standard bungee cord
- 2. Rubberized grip for ultimate control and comfort
- 3. Nylon outer sheath hook
- 4. Steel core inside for extra holding power
- 5. Extra wide, strong, secure



Bungee Cord

Carabiner style bungee cord



- 1. Super strong steel clipper hooks
- 2. Anti-slip rubberized grip
- 3. Spring gate locks secure

Item No.	Length	Dia.	Color
XLGS0701	18"	10MM	black
XLGS0703	24"	10MM	black
XLGS0705	36"	10MM	black
XLGS0707	48"	10MM	black

- 1. 3X stronger than conventional cords
- 2. 3X stronger than conventional hooks
- 3. Spring gate locks secure
- 4. Patent pending design



2 IN 1 Heavy duty carabiner bungee



Item No.	Length	Dia.	Color
XLGS0801	18"	10MM	blue
XLGS0803	24"	10MM	red
XLGS0805	32"	10MM	green
XLGS0807	40"	10MM	yellow

- 1. Select the proper length of hold-down strap for your application.

Don't over-stretch.

- Note: Maximum length should not exceed 150% of unstretched length
- 2. Use EXTREME CAUTION when stretching cord over objects to be tied down. Keep face and body clear of cord in case it should snap loose.
 - 3. Secure hook ends carefully.

Plastic Hooks Bungee Cord

Finger grip bungee cord



Item No.	Length	Dia.	Color
XLGS0901	18"	8MM	blue
XLGS0903	24"	8MM	red
XLGS0905	32"	8MM	green
XLGS0907	40"	8MM	yellow
XLGS0909	48"	8MM	orange

This assorted elastic stretch cord set is idea for securing tarps, covers, and tying down loads. The length on these tie downs is easily adjustable.

1. Easily adjust tension and length for a perfect fit
2. Non-marring hooks with safety clips - no dangerous exposed hooks
3. Pull-loops prevent pinched fingers
4. Color coded for different lengths

Adjustable bungee cord



1. Easy to adjust the length by yourself
2. Color coded cord simplified merchandising, more color available

Item No.	Length	Dia.	Color
XLGS1001	20"	8MM	blue
XLGS1003	30"	8MM	yellow
XLGS1005	40"	8MM	red

1. Hook allows quick adjustment to cord length and tension
2. To release, pull cord and away from side of hook with teeth elasticized cord
3. FOR USE WITH:
Autos, Trucks, Vans, Motorcycles, ATV's, Campers, Boats, Household

Best Sales Bungee Cord Set

6pcs 18"X 8mm: blue with plastic hook
4pcs 24"X 8mm: red with plastic hook
2pcs 32"X 8mm: green with plastic hook
2pcs 40"X8mm: yellow with plastic hook
4pcs 8" X4mm: black mini bungee cord with a plastic ball
6pcs 10" - 4mm: black mini bungee cord with metal hook



1.60kgs(132lbs) strength capacity,up to 2 times stronger than standard bungee cords

2.Double-end hooks have 3.5mm steel core & plastic coating

3.Double braided cord,inside Latex & rubber,outside PP yarn

4.Expands to 50% of its length

5.Coated steel hooks and extra wide hook openings

Trap straps series

Rubber Strap



Item No.	Length	Color
XLRS0001	9"	black
XLRS0003	15"	black
XLRS0005	21"	black
XLRS0007	31"	black
XLRS0009	41"	black
XLRS0011	60"	black

The best way to safely secure cargo, tarps, luggage, bike, and much more...

1. Different size is available.
2. Rust, resistant hook, Sunlight,
3. Weather and abrasion resistant

20pcs 10" Mini bungee cords

Item No. XLMBC0020

Length	Dia.	Color
10"	4MM	Mix

1. Includes 20pc 10" cords
2. Holds stronger
3. Lasts longer




Bungee ball series

Easy to use indoors and out doors





1. Canopy/tarp cords with toggle balls
2. High tensile strength

Item No.	Length	Color
XLGT0001	6"	black/red
XLGT0002	9"	black/red
XLGT0003	12"	black/red
XLGT0004	15"	black/red



Cargo Net



Item No.	Description
XLNT0001	5.0MMX30"X60",12 HOOKS
XLNT0003	5.0MMX40"X50",12 HOOKS
XLNT0005	5.0MMX25"X25", 6 HOOKS
XLNT0007	5.0MMX36"X43",12 HOOKS
XLNT0009	5.0MMX36"X60",16 HOOKS
XLNT0011	6.0MMX25"X25", 6 HOOKS
XLNT0013	6.0MMX30"X30",12 HOOKS
XLNT0015	6.0MMX30"X30",20 HOOKS
XLNT0017	6.0MMX36"X48",14 HOOKS



Pickup Truck Anchor Point



Toggle Bolt Anchor Point
Item No.:XLAPD-262C



Chrome Stake Pocket Anchor
Item No.:XLAPD-261C



Eye Bolt Anchor Point
Item No.:XLAPD-280C



Stake Pocket Anchor
Item No.:XLAPD-263C



Economy Stake
Pocket Anchor
Item No.:XLAPD-266C



Chrome Toggle Stake
Pocket Anchor
Item No.:XLAPD-272C



Expandable Anchor
Point, Deluxe Chrome
Item No.:XLAPD-273C



Heavy Duty Stake
Pocket Anchor
Item No.:XLAPD-275C

Webbing Sling Series

Eye-eye Duplex Flat Webbing Sling

Flat webbing slings are made of 100% high tenacity polyester(PES), offering the following advantages.

- lifts smooth or fragile objects without risk of damage
- light and flexible for good access in awkward location
- Wide flat loadbearing surface
- Anti-cut and anti-abrasion protection available
- High strength to weight ratio
- Wide choice of lifting modes
- Available in various finishes to suit application



Item No.	Colour	Width (mm)	Rated working load	Upright t	choked	$\beta < 7^\circ$	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
XLWS0001		30	1000	1000	800	2000	1400	1000
XLWS0002		60	2000	2000	1600	4000	2800	2000
XLWS0003		90	3000	3000	2400	6000	4200	3000
XLWS0004		120	4000	4000	3200	8000	5600	4000
XLWS0005		150	5000	5000	4000	10000	7000	5000
XLWS0006		180	6000	6000	4800	12000	8400	6000
XLWS0007		240	8000	8000	6400	16000	11200	8000
XLWS0008		300	10000	10000	8000	20000	14000	10000

Supposing the rated working load is 3000kg, the lifting method is choked (mode coefficient=0.8), then the maximum working load is $3000 \times 0.8 = 2400\text{kg}$.

Endless flat webbing sling



Item No.	Colour	Width (mm)	Rated working load	Upright t	choked	$\beta < 7^\circ$	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
XLEF0001	Purple	30	1000	1000	800	2000	1400	1000
XLEF0002	Green	60	2000	2000	1600	4000	2800	2000
XLEF0003	Yellow	90	3000	3000	2400	6000	4200	3000
XLEF0004	Grey	120	4000	4000	3200	8000	5600	4000
XLEF0005	Red	150	5000	5000	4000	10000	7000	5000
XLEF0006	Brown	180	6000	6000	4800	12000	8400	6000
XLEF0007	Blue	240	8000	8000	6400	16000	11200	8000
XLEF0008	Orange	300	10000	10000	8000	20000	14000	10000

Supposing the rated working load is 3000kg, the lifting method is choked with 2 webbing slings, and $7^\circ < \beta < 45^\circ$ (mode coefficient=1.12), then the maximum working load is $3000 \times 1.12 = 2260\text{kg}$.